



SF5 RANGE

The SF5 range, the largest and most productive range of machines, available with a huge variety of implements from rotary or Muthing flail, to scarifying decks.



QUALITY THAT'S BUILT TO LAST

WWW.ISEKI.CO.UK

SF5 Range

QUALITY HIGH PERFORMING PREMIUM ECONOMY MOWER



For the ultimate cut and collect mower you have the renowned SF5, the largest and most productive SF range of machines, available with a huge variety of implements from rotary or Muthing flail, to scarifying decks.

Perfect for maintaining a brilliant finish on fairways or large highly presented parks and gardens where pristine collection is paramount.



POWERFUL

Powered by either a 49hp or 42hp Stage V compliant ISEKI diesel engine, the SF5 range has more than enough torque to handle even the most dense and wet grass without slowing down or faltering. Whilst being efficient and delivering reduced fuel costs.



TRANSMISSION

For effortless manoeuvring the SF5 has hydrostatic two pedal transmission which provides simple speed control whilst operating the mower.



DIFFICULT TERRAIN

Built with an automatic diff lock system to assist on challenging terrain you can also use the diff lock manually using the pedal should you wish to override and control it yourself in certain difficult situations.

Operator's platform

ULTIMATE COMFORT for the operator with the ISO mounted platform and suspension seat whilst mowing, plus extra leg room on the operator's platform with adjustable steering column and power steering built to suit each individual. Armrests are standard for added comfort.

ERGONOMICALLY positioned hydraulic levers for adjusting and operating the machine, whilst the deck and collector levers can be found to the right hand side of the seat for ease of use.

ROPS (Roll Over Protection Structure) can be folded down to allow easy access into low storage areas.



ROAD HOMOLOGATED lighting system, indicators and parking brake as standard for safe and legal highway use.

SPACIOUS PLATFORM
Designed with plenty of operator space the SF551 offers increased comfort with extra leg room for the drivers whilst using the machine for extended periods of time.



AUTOMOTIVE STYLE DASHBOARD

Clear dashboard layout showing the operator fuel, temperature, DPF status, hours used plus warning lights. The display can easily be read even in bright sunlight and angled so as to suit drivers of different heights.



Unrivalled performance



LARGE FUEL TANK

Carrying over 48 litres the large fuel tank enables you to cut for longer without having to fill up, allowing you to be more efficient with your time.



CRUISE CONTROL

Forward speed can be set to control the speed in which you are mowing leaving a consistent finish and less fatigue for the operator on long shifts.



COMFORT IN ALL WEATHERS

For superior comfort whilst mowing there is the option of a fitted cabin, available with heating and air conditioning, perfect for working long shifts cutting in inclement weather.



CUTTING DECK FLIPS UP

to an angle of 62° without removing the PTO shaft or discharge hose, enabling ease of maintenance. The deck has disc-mounted swing-tip blades to reduce damage if an obstruction is hit. Supplied with a mulching insert.



SERVICING AND MAINTENANCE

Easy access to the engine bay with the high tip collector raised and secured with safety hooks.

Routine maintenance and daily checks are simple to get to on the sides of the machine without needing to raise the collector.


Collection System & Decks

EMPTY AT ANY HEIGHT



With a maximum height of 2.2m the SF51 collector can also be tipped at whatever height you require allowing flexibility at disposal sites.

LOW DUMP CAPABILITY



EASILY ADJUSTABLE MOWER DECK

The deck height of cut can be easily adjusted in 10mm increments by using the single point adjuster. A further range of adjustments (5mm difference) is available by moving the clevis pin on the front castor wheel.



POWERFUL COLLECTION

The very large 1300L turbine driven collector has an oscillating chute so the box is evenly filled with the grass clippings for maximum collection ability.



FULL BOX NOTIFICATION

When the grass box is full you will see a red light on the dashboard and hear a beep to allow you to finish your pass and then go off to empty, removing the guesswork and allowing you to be productive as possible.

MOWER DECK OPTIONS

DECK TYPE	Rotary Twin-Tip Collection	MUTHING Vario Flail
NO OF BLADES	2x2	M Flails 28
CUTTING WIDTH	60" or 71"	1.62m
CUTTING HEIGHT	25-120mm	11-50mm



STURDY DECKS

Built from heavy duty steel the ISEKI rotary decks that are manufactured to easily withstand commercial use.

Shaft driven for virtually maintenance free use; there are no belts that can easily falter when mowing.




VERSATILITY OF A FLAIL

For an alternative try the SF5 with Muthing Vario outfront flail. The renowned Muthing build of the flail mower leaves an unbeatable striped finish along with a very consistent cut with superior ISEKI collection, giving you the flexibility of being able to cut longer grass with a pristine finish.

COLLECT OR DROP CUTTINGS

With a quick swap of the guide plate in the Muthing Vario outfront flail you can change from cut and collect, to cut and drop, allowing the machine to be as versatile as possible, enabling you to cut a variety of areas with only one machine.



SCARIFY THE TURF TOO



Flail blades on the Muthing Vario deck can be swapped over for scarifying blades where again, the collection system picks up the debris leaving a clean finish without the need to rake up and clear away afterwards.

SF5 Range - TECHNICAL SPECIFICATION

MODEL	SF544	SF551
POWER		
Engine Type	ISEKI E3FH	ISEKI E4FH
Displacement	1.826ltr	2.434ltr
No of cylinders	3	4
Power	42hp	49hp
Fuel Capacity	48ltr	48ltr
Regulation	Stage V	Stage V

TRANSMISSION	
Type	HST
Front Axle	Standard
Steering system	Power Steering with adjustable height & tilt 35degrees
Driving system	4WD

PTO	
Mower	Clutch type: Wet Multiple Disk
Revolution	2,400@2,000min-1 (rpm)
Blower	Clutch type: Wet Multiple Disk
Blower revolution	2,400@3,000 min-1 (rpm)

BRAKES	
Type	Dry Drum
Parking Brake	Lever
Differential Lock Type	Standard
Max Travelling Speed	20km/h fwd 15km/h rev

TYRES	
	Turf
Front	24 x 12.00 - 12
Rear	20 x x10.00 - 10

MOWER DECK	SMCA 71 Rotary	SMCA 60 Rotary	Muthing Vario Flail
No of Blades	2 x2	2 x2	M-Shackle Flails 28
Discharge	Rear Collection	Rear Collection	Rear Collection or Drop
Cutting Width	71"	60"	1.62m
Cutting Height	25-120mm	20-120mm	11 - 50mm
Adjustments	2 & 10 stages by pin replacement, 5mm increments	2 & 10 stages by pin replacement, 5mm increments	Adjustable by rear roller and front castor wheels
Weight	305kg (electric deck 330kg)	230kg (electric deck 255kg)	244kg Linkage 20kg
Electric Height of Cut	Optional	Optional	N/A

COLLECTOR	
Model	SBC1300FHE4
Capacity	1300ltr
Dump System	Hydraulic
Height of Dump	2200mm
Weight	175kg

DIMENSIONS	
Height	Height 2,160mm or 1935mm with folded ROPS
Width	1,305mm (1,570mm with deck)
Length	2,940mm (3,673mm with deck)
Wheelbase	1,580mm
Power Unit Weight	1,270kg



SF5 RANGE

Don't just take our word for it.

Try an ISEKI mower for yourself and book a demonstration with your local dealer.

**Contact us today
01473 599266**



QUALITY THAT'S BUILT TO LAST

