



PRODUCT GUIDE



THE ORIGINAL WOODCHIPPER

CONTENTS

PTO MACHINES

A530ZXL	6
A540ZXL	7
A425ZXL	8
A328ZXL	10
A231ZXL	11
A141ZXL	12
JT600 PTO	14

TRAILED INLINE

A530	18
A540	21
A550	23
A425	24
A350	25
JT600	26

TURNTABLE TRAILED

A530	30
A540	31
A425	32
A450	34
A328	35
A350	36
A141	37

TRACKED

A530XL	40
A540XL	42
A550XL	43
A328XL	47
A231XL	48
A141XL	49
JT600	50

BESPOKE BUILDS 51



THE ORIGINAL WOODCHIPPER

Since developing the world's first woodchipper in 1884, the **Jensen** brand has grown significantly and is now recognised globally for providing the largest range of chippers on the market – including towable, tracked, PTO and custom solutions.

With over 140 years of experience, **Jensen** has played an important role in the development and innovation of woodchipping technology.

Jensen's high quality features make it the first choice for highway authorities, local government and Network Rail. With strong safety benefits and simple maintenance, it's also the preferred brand within forestry, agriculture and horticulture sectors.

Jensen - simply the original and best woodchipper!

Our engines
are Stage 5
compliant







PTO MACHINES





Jensen PTO A530ZXL

6 Inch, 30hp 1000 or 540rpm Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	30hp with or without reduction gear
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	500
Infeed	6" - 150mm



Jensen PTO A540ZXL

8 Inch, 40hp 1000 or 540rpm Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	40hp with or without reduction gear
Feed Roller Aperture (mm)	210 x 190
Weight KG (approx)	750
Infeed	8" - 190mm



Jensen PTO A425ZXL (front mount)

8 Inch, 55hp 1000 or 540rpm Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	Unimog front mount
Min Tractor HP Requirement	55hp - no reduction gear
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1100
Infeed	8" - 200mm



Jensen PTO A425ZXL

8 Inch, 55hp 1000 or 540rpm Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 OR 1000
Min Tractor HP Requirement	55hp - with or without reduction gear
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	800
Infeed	8" - 200mm



Jensen PTO A328ZXL

9 Inch, 1000rpm min 68hp Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	68hp - with or without reduction gear
Feed Roller Aperture (mm)	280 x 240
Weight KG (approx)	950
Infeed	9" - 220mm



Jensen PTO A231ZXL

10 Inch, 75hp Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	75hp - with or without reduction gear
Feed Roller Aperture (mm)	310 x 240
Weight KG (approx)	1400
Infeed	10" - 240mm



Jensen A141ZXL

12 Inch, 85hp PTO Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	85hp - with or without reduction gear
Feed Roller Aperture (mm)	410 x 300
Weight KG (approx)	1950
Infeed	12" - 300mm



Jensen PTO A141ZXL (chassis)

12 Inch, 85hp Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	540 or 1000
Min Tractor HP Requirement	Single or twin axle chassis
Feed Roller Aperture (mm)	410 x 300
Weight KG (approx)	spec related
Infeed	12" - 300mm



Jensen JT600 PTO

12 Inch, 85hp Woodchipper

TECHNICAL DATA

PTO Speed (RPM)	1000
Min Tractor HP Requirement	Single or twin axle chassis
Feed Roller Aperture (mm)	560 x 400
Weight KG (approx)	7000 with crane
Infeed	15.7" - 400mm



A close-up, low-angle shot of an orange excavator arm. The arm features a black grille with a diamond pattern. Below the grille is a black triangular logo with the word "JENSEN" in white, bold, sans-serif capital letters. To the left of the text is a stylized orange and white graphic. Below the main text, in a small white box, is the text "seit 1884". The background is a blurred view of trees and a blue sky.

JENSEN

seit 1884





TRAILED INLINE





Jensen A530

6 Inch, 24hp Petrol Woodchipper

TECHNICAL DATA

Engine Type & HP	23hp petrol
Engine Manufacturer	Vanguard
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	720
Infeed	6" - 150mm



Jensen A530

6 Inch, 40hp Petrol Woodchipper

TECHNICAL DATA

Engine Type & HP	40hp petrol
Engine Manufacturer	Vanguard
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	720
Infeed	6" - 150mm



Jensen A530

6 Inch, 24hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	24hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	750
Infeed	6" - 150mm



Jensen A540

8 Inch, 25hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	25hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1200
Infeed	8" - 190mm



Jensen A540

8 Inch, 40hp Petrol Woodchipper

TECHNICAL DATA

Engine Type & HP	40hp petrol
Engine Manufacturer	Vanguard
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1100
Infeed	8" - 190mm



Jensen A550

8 Inch, 37hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	37hp diesel
Engine Manufacturer	Yanmar
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1300
Infeed	8" - 190mm



Jensen A425 8 Inch, 55hp Diesel Woodchipper, also available with fixed drawbar

TECHNICAL DATA

Engine Type & HP	55hp diesel
Engine Manufacturer	Develon
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1700
Infeed	8" - 190mm



Jensen A350

10 Inch, 75hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	300 x 240
Weight KG (approx)	1450
Infeed	10" - 240mm



Jensen JT600

15.7 Inch, 150hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	150hp diesel
Engine Manufacturer	Perkins
Feed Roller Aperture (mm)	560 x 400
Weight KG (approx)	9000
Infeed	15.7" - 400mm



JENSEN

seit 1884

STAGE 5
CERTIFIED





TURNTABLE TRAILED





Jensen A530

6 Inch, 40hp Petrol Woodchipper

TECHNICAL DATA

Engine Type & HP	40hp petrol
Engine Manufacturer	Vanguard
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	750
Infeed	6" - 150mm



Jensen A540

8 Inch, 25hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	25hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1450
Infeed	8" - 190mm



Jensen A425 8 Inch, 38hp Diesel Woodchipper, fixed drawbar also available

TECHNICAL DATA

Engine Type & HP	38hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1600
Infeed	8" - 190mm



Jensen A425 8 Inch, 57hp Diesel Woodchipper, fixed drawbar also available

TECHNICAL DATA

Engine Type & HP	57hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1900
Infeed	8" - 190mm



Jensen A450

8 Inch, 50hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	50hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1700
Infeed	8" - 190mm



Jensen A328

9 Inch, 57hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	57hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	280 x 200
Weight KG (approx)	2100
Infeed	9" - 220mm



Jensen A350

10 Inch, 75hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	300 x 240
Weight KG (approx)	2200
Infeed	10" - 240mm



Jensen A141

12 Inch, 75hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	410 x 300
Weight KG (approx)	3500
Infeed	12" - 300mm





TRACKED





Jensen A530XL Fixed track (variable track also available) 6 Inch, 24hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	24hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	1200
Infeed	6" - 150mm



Jensen A530XL Fixed track (variable track also available) 6 Inch, 40hp Petrol Woodchipper

TECHNICAL DATA

Engine Type & HP	40hp petrol
Engine Manufacturer	Vangard
Feed Roller Aperture (mm)	210 x 150
Weight KG (approx)	1100
Infeed	6" - 150mm



Jensen A540XL Fixed track (variable track also available) 8 Inch, 25hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	25hp diesel
Engine Manufacturer	Kubota
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1400
Infeed	8" - 190mm



Jensen A550XL Fixed track (variable track also available) 8 Inch, 37hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	37hp diesel
Engine Manufacturer	Yanmar
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1650
Infeed	8" - 190mm



Jensen A550XL Fixed track (variable track also available) 8 Inch, 55hp Diesel Woodchipper

TECHNICAL DATA

Engine Type & HP	55hp diesel
Engine Manufacturer	Develon
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	1550
Infeed	8" - 190mm



Jensen A550XL Spider track 8 Inch, 37hp Diesel
Woodchipper (track recovery system also available)

TECHNICAL DATA

Engine Type & HP	37hp diesel
Engine Manufacturer	Yanmar
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	2250
Infeed	8" - 190mm



Jensen A550XL Spider track 8 Inch, 55hp Diesel Woodchipper (track recovery system also available)

TECHNICAL DATA

Engine Type & HP	55hp diesel
Engine Manufacturer	Develon
Feed Roller Aperture (mm)	240 x 200
Weight KG (approx)	2250
Infeed	8" - 190mm



Jensen A328XL

9 Inch, 75hp Diesel Track Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	280 x 200
Weight KG (approx)	2850
Infeed	9" - 200mm



Jensen A231XL Fixed track

10 Inch, 75hp Diesel Track Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp diesel
Engine Manufacturer	Hatz
Feed Roller Aperture (mm)	300 x 240
Weight KG (approx)	3500
Infeed	10" - 240mm



Jensen A141XL Fixed track

12 Inch, 75hp Diesel Track Woodchipper

TECHNICAL DATA

Engine Type & HP	75hp or 103hp diesel
Engine Manufacturer	Hatz or Perkins
Feed Roller Aperture (mm)	410 x 300
Weight KG (approx)	4400
Infeed	12" - 300mm



Image pending

Jensen JT600 Fixed track

15.7 Inch, 150hp Diesel Track Woodchipper

TECHNICAL DATA

Engine Type & HP	150hp diesel
Engine Manufacturer	Perkins
Feed Roller Aperture (mm)	560 x 400
Weight KG (approx)	11500 with crane
Infeed	15.7" - 400mm

We can also **design** and build **bespoke** models to order – contact us today about your **specific** needs.





For further info, please contact:

R T Machinery Ltd 01844 299037 or info@rtmachinery.co.uk



jensenchippers.co.uk

Your nearest authorised Jensen dealer is:



R T Machinery Ltd , Brackwell Farm, Nether Winchendon, HP18 0DS 01844 299037
info@rtmachinery.co.uk - Registered Company number 5003780